神州云科
Yunke China



8 GPU

AI ML/DL

Outline

YK SXE9680 6U 8 GPU

AI / (ML/DL) (HPC)

64 5

GPU

Advantages

GPU

8 NVIDIA H100 8 H200 SXM5 700W GPU H20 SXM5 500W GPU

NVLink 8 AMD Instinct MI300X 750W OAM GPU

Infinity Fabric

GPU 1.5 TB GPU

AI

神州云科
Yunke China

I/O

DDR5 PCIe 5.0 NVMe SSD

10 PCIe 5.0 16

AI

AI

IT

(MFA)

OpenManage™

,

神州云科
Yunke China

Parameters

	5 64 4 56
	32 DDR5 DIMM RDIMM 4 TB 5 5600 MT/s 4 4800 MT/s ECC DDR5 DIMM
GPU	8 NVIDIA HGX H100 80 GB 700 W SXM5 GPU NVIDIA NVLink 8 NVIDIA HGX H200 141 GB 700 W SXM5 GPU NVIDIA NVLink 8 AMD Instinct MI300X 192 GB 750W OAM AMD Infinity Fabric 8 NVIDIA HGX H20 96 GB 500 W SXM5 GPU NVIDIA NVLink H20 GPU
	(RAID) PERC H965i Boot Optimized Storage Subsystem (BOSS-N1) HWRAID 1 2 x M.2 SSD RAID S160
	8 x 2.5 NVMe/SAS/SATA SSD 122.88 TB 16 x E3.S NVMe Direct 122.88 TB
	3200W 277 VAC 260-400 VDC

神州云科
Yunke China

	2800 W 200-240 VAC 240 VDC	
	® C741	
PCIe	10 x16 5.0 (x16 PCIe)	
NIC	2 x 1 GbE	
	1 x OCP 3.0 x8 PCIe	
	6 (HPR) 10 (HPR)	
	6U	
	- 263.2 10.36 - 482.0 18.97	- 1008.77 39.71 - 995 39.17 - 113.3 249.78
	iDRAC9 iDRAC Direct Redfish iDRAC RESTful API iDRAC Service Module	
OpenManage	CloudIQ OpenManage Enterprise OpenManage	

	OpenManage Power Manager OpenManage Update Manager
OpenManage	BMC Truesight OpenManage Integration with ServiceNow Red Hat Ansible Modules Terraform

神州云科
Yunke China

DC Yunke Beijing Technology Co., Ltd.

www.yunke-china.com

4006680103

© 2020